



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

PHYSICS

0625/61

Paper 6 Alternative to Practical

May/June 2017

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

bestexamhelp.com

© IGCSE is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **6** printed pages.

Question	Answer	Marks
1(a)(i)	15	1
1(a)(ii)	Ring(s) do not extend (owtte)	1
1(b)	Use of set square to line up with scale OR perpendicular viewing	1
1(c)	Graph:	
	Axes correctly labelled and right way round	1
	Suitable scales	1
	All 6 plots correct to $\frac{1}{2}$ small square	1
	Good line judgement, thin, single, continuous line	1
1(d)	(NO); line does not pass through origin	1
1(e)	L in range 6–8	1
	L in range 7.2–7.8	1
	Total:	10

Question	Answer	Marks
2(a)	Normal in centre of AB and CD and FE at 30° to normal	1
	P ₁ P ₂ distance at least 5 cm	1
2(b)	P ₃ P ₄ line and KE correctly drawn (to K)	1
2(c)	α in range 28–32	1
	x in range 20–24 (mm)	1
2(d)	Statement matches readings (Expect YES, owtte)	1
	Justification to include the idea of within (or beyond, ecf) the limits of experimental accuracy	1
2(e)	Any one from: Large pin separation Ensure pins vertical / upright / erect View bases of pins Use thin pencil lines / thin pins	1
	Total:	8

Question	Answer	Marks
3(a)	23 with unit °C	1
3(b)(i)	11 AND 8	1
3(b)(ii)	Starting temperature closer to room temperature in the second case (or further from room temperature in the first case)	1
3(c)	Two from: Increase draught (over surface of water) Increase temperature of hot water Increase surface area of water Longer time intervals Decrease room temperature Decrease volume of water Use metal can instead of glass beaker Stirring	2
3(d)	Any 2 from: Uses bottom of meniscus Perpendicular (to reading) That is where the scale markings are, owtte	2
	Total:	7

Question	Answer	Marks
4(a)(i)	l shown clearly from bottom of clamp to centre of bob	1
4(a)(ii)	Any 2 from: Metre rule close to pendulum Measurement from bottom of clamp Set-square used as a horizontal reference	2
4(b)(i)	1.01(1)	1
4(b)(ii)	Any 2 from: Idea of averaging Reaction time / judgement of when to stop / start (owtte) Reduces effect of error / spreads error over 20 swings (owtte)	2
4(c)	1.02(212) with 2, 3 or 4 significant figures	1
	unit s^2	1
	Total:	8

Question	Answer	Marks
5	MP1 Diagram showing power supply, ammeter, voltmeter and resistance wire correctly connected (variable resistor optional)	1
	MP2 Correct symbols for ammeter and voltmeter. Variable resistor symbol correct if included.	1
	MP3 Measure potential difference (voltage) and current and calculate resistance.	1
	MP4 Repeat with other (types of) wires	1
	MP5 Key variables <u>length</u> AND <u>diameter</u> stated	1
	MP6 One of: Repeat with different voltages (or currents). Repeat and take average (voltage and current) readings. Repeat entire experiment with different length or different diameter. Use low current to prevent wire heating up. Keep temperature of wire constant / switch off between readings Use micrometer screw gauge to measure diameter / thickness of wire.	1
	MP7 Table with columns for type of wire, voltage, current, resistance with correct units (V, A and Ω)	1
	Total:	7